## Morning Sun 3755


© mallikerta

Purpose - Rug Weave - Rib weave, weft faced Shafts - 2-shaft Material - Cotton Level •oo S. KANSON P. S. Weaving Library The Weaver's Pick

mallikerta

#### Finished size 75 x 176 cm

### Morning Sun 3755




#### WEAVING INSTRUCTIONS

Leave a desired length of warp for the fringes. Weave a couple of picks of cotton twine at the beginning and end of the rug. Weave the rug according to the drawing with the clasped weft technique. See page 12 for the instructions for the clasped weft technique.

Weave with two thin tricot wefts of different colours using the clasped weft technique. Throw the shuttle from the right side when you want the colour to be placed on the right side. Interlock the weft on the left side with another weft and throw the shuttle back to the same shed to the right. Pull the left weft into the shed until the clasp point is at the correct spot shown in the drawing. As usual, the ends of the wefts are tapered when joining and the weft is ended in the same shed. Weave thin stripes irregularly for the entire length of the rug, by using the same clasped weft technique but changing the other weft for a single row. End the previous weft to ensure a neat selvedge.

#### **FINISHING**

Tie the ends with tight square knots. Twist the fringes. Cut the fringes even.



AMOUNT OF WEFT YARNS T-shirt Yarn (Cotton tricot) dark blue 23 g greyish blue 15 g light blue 493 g light bluish grey 471 g dark green 398 g blackish green 14 g beige 138 g light grey 117 g rose 170 g apricot 239 g light apricot 301 g yellow 73 g light yellow 324 g natural white 40 g 2831 g in total



# This is how you weave the Morning Sun rug

- 1. Draw the design to the actual size and cut out the pattern.
- 2. Consider that wovens are shrinking and getting narrower as they approach the cloth beam. The pattern is therefore hard to position in the right place. You can mark in the pattern how far it is from the beginning or from the previous motif. Next time you can align it better. You can also modify the pattern to match the shrunk size of the rug.
- 3. Throw the first weft in the shed.
- 4. Go around the other weft in the edge and throw the shuttle back to the same shed.
- 5. Drag the weft from the edge to the shed by pulling the first weft. Pull as far as the locking point is in the desired spot. Beat the picks into place.









